

Agency Information

The certificate is only used for browsing on the web and proves that SETsafe | SETfuse has been certified.

If you need a FULL-VERSION certificate, please contact us: sales@SETfuse.com

该证书只用于在网页浏览,证明SETsafe | SETfuse已获得认证,如需要完整版本证书,请联系我们: sales@SETfuse.com

UL Product iQ™



XCMQ2.E214712 - Thermal Links - Component

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at https://www.ul.com/about/locations.

Thermal Links - Component

XIAMEN SET ELECTRONICS CO LTD

F214712

8067 XIANG'AN XI RD XIAMEN TORCH HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE XIANG'AN INDUSTRY DIST XIAMEN, FUJIAN 361101 China

Marking: Company name or trademark **SET**safe , **SET** fuse , **SET** , and model designation.

Note: For additional marking information, refer to the **Guide Information Page**.

Model(s): CR13, KG15, KG4, KG5, KG6, KG7, KG8, KG9, KM4, KM5, KM7, M13, RS104, RS110, RS117, RS121, RS128, RS134, RS144, RS152, RS167, RS172, RS184, RS192, RS216, RS229, RS240, RS257, RS72, RS77, RS84, RS94, RS99, RT104, RT110, RT117, RT121, RT128, RT134, RT144, RT152, RT167, RT172, RT184, RT192, RT216, RT229, RT240, RT257, RT72, RT77, RT84, RT94, RT99, SF13, SF2, SF4, SF8, SK205, SK221, TG102C, TG115C, TG125C, TG136C, TG150C, TG86C, TK205, TK221, XM4, XM5, XM7

Model(s): TKR102 XX represents any two alpha numeric characters.

Model(s): TKR102-RXX XX represents any two alpha numeric characters.

Model(s): TKR115 XX represents any two alpha numeric characters.

Model(s): TKR115-RXX XX represents any two alpha numeric characters.

Model(s): TKR125 XX represents any two alpha numeric characters.

Model(s): TKR125-RXX XX represents any two alpha numeric characters.

Model(s): TKR136 XX represents any two alpha numeric characters.

Model(s): TKR136-RXX XX represents any two alpha numeric characters.

Model(s): TKR145 XX represents any two alpha numeric characters.

Model(s): TKR145-RXX XX represents any two alpha numeric characters.

Model(s): TRXF1 f/b R47 thru 1000R, f/b J or K, f/b 03 thru 08 or 42 thru 47 or 49 or 50, f/b S or F, f/b B

Model(s): TRXF2 f/b R47 thru 1000R, f/b J or K, f/b 03 thru 08 or 42 thru 47 or 49 or 50, f/b S or F, f/b B

B Series, Model(s): B0, B1, B13, B18, B2, B21, B3, B31, B32, B4, B5, B6, B7, B8, B9

C Series, Model(s): C1, C13, C18, C2, C21, C3, C31, C32, C4, C5, C6, C7, C8, C9

F Series, Model(s): F0, F1, F13, F15, F18, F2, F3, F4, F6, F7, F8

H Series, Model(s): H0, H1, H13, H18, H2, H21, H3, H31, H32, H4, H5, H6, H7, H8, H9

HN Series, Model(s): HN125, HN125B, HN136, HN136B, HN145, HN145B

HP Series, Model(s): HP125, HP125B, HP136, HP136B, HP145, HP145B

HS Series, Model(s): HS125, HS125B, HS136, HS136B, HS145, HS145B

P/Q Series, Model(s): P115, P136, Q115, Q136

PR, Model(s): PR136

R/U series, Model(s): R2, R31, R5, U2, U31, U5

RT/RS, Model(s): RS263, RT263

SM Series, Model(s): SM102, SM115, SM136, SM150

T/S Series, Model(s): S102, S115, S136, S150, SN102, SN115, SN136, SN150, T102, T115, T136, T150, TN102, TN115, TN136, TN150

TG Series, Model(s): TG125, TG125B

TM Series, Model(s): TM102, TM115, TM136, TM150

TS Series, Model(s): TS125, TS136

V Series, Model(s): V0, V1, V13, V18, V2, V21, V3, V31, V32, V4, V5, V6, V7, V8, V9

VQ series, Model(s): VQ115, VQ125

VS series, Model(s): VQ145, VS125, VS136, VS150, VT145, VY150-2

VT series, Model(s): VT125, VT136

VY series, Model(s): VY125, VY125-2, VY136, VY136-2

X/K Series, Model(s): K0, K1, K15, K18, K2, K3, K31, K32, K4, K5, K6, K7, K8, K9, KG0, KG1, KG15, KG18, KG2, KG3, KG31, KG32, KG34, KG35, KG36, KG37, KG38, KG39, X0, X1, X15, X18, X2, X3, X31, X32, X4, X5, X6, X7, X8, X9, XG0, XG1, XG15, XG18, XG2, XG3, XG31, XG32, XG4, XG5, XG6, XG7, XG8, XG9

Y Series, Model(s): Y0, Y1, Y15, Y18, Y2, Y3, Y4, Y6, Y7, Y8, Y9, YM4, YM7, YM9

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"