

# **Agency Information**

This certificate is only used for web browsing, proving that the SETsafe | SETfuse product has been certified.

For the full version, please contact: sales@SETfuse.com

Thank you for your support.

## UL Product iQ<sup>®</sup>



Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <u>https://www.ul.com/about/locations</u>.

### **Thermal Links Certified for Canada - Component**

#### COMPANY

#### XIAMEN SET ELECTRONICS CO LTD

8067 XIANG'AN XI RD XIAMEN TORCH HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE XIANG'AN INDUSTRY DIST XIAMEN, Fujian Sheng 361101 China

E214712



Note: For additional marking information, refer to the <u>Guide Information Page</u>.

Model(s): CR13, G150, KG15, KG4, KG5, KG6, KG7, KG8, KG9, KM4, KM5, KM7, M13, RS104, RS110, RS117, RS121, RS128, RS134, RS144, RS152, RS167, RS172, RS184, RS192, RS216, RS229, RS240, RS257, RS72, RS77, RS84, RS94, RS99, RT104, RT110, RT117, RT121, RT128, RT134, RT144, RT152, RT167, RT172, RT184, RT192, RT216, RT229, RT240, RT257, RT72, RT77, RT84, RT94, RT99, SF13, SF2, SF4, SF8, SK205, SK221, TG102C, TG115C, TG125C, TG136C, TG150C, TG86C, TK205, TK221, TKR102, TKR115, TKR125, TKR136, TKR145, XM4, XM5, XM7

Model(s): TEX150-RxN where x is any alpha numeric character.

Model(s): THU145-RxN-UGZ where x represents any alpha-numeric digit.

Model(s): THU145-RxN-WGZ where x represents any alpha-numeric digit.

Model(s): TKR102-R XX represents any two alpha numeric characters.

Model(s): TKR115-R XX represents any two alpha numeric characters.

Model(s): TKR125-R XX represents any two alpha numeric characters.

Model(s): TKR136-R XX represents any two alpha numeric characters.

Model(s): TKR145-R XX represents any two alpha numeric characters.

Model(s): TKS150-RxN-QJZ where x represents any alpha-numeric digit.

Model(s): TKS150-RxN-RJZ where x represents any alpha-numeric digit.

Model(s): TKS150-RxN-SJZ where x represents any alpha-numeric digit.

Model(s): TRR150-RxN-RRZ where x represents any alpha-numeric digit.

Model(s): TRXF1 f/b R47 thru 1000R, f/b J or K, f/b 03 thru 08 or 42 thru 47 or 49 or 50, f/b S or F, f/b B

2023/7/10 16:32 XCMQ8.E214712 - Thermal Links Certified for Canada - Component | UL Product iQ Model(s): TRXF2 f/b R47 thru 1000R, f/b J or K, f/b 03 thru 08 or 42 thru 47 or 49 or 50, f/b S or F, f/b B B Series, Model(s): B0, B1, B13, B17, B18, B2, B21, B3, B31, B32, B4, B5, B6, B7, B8, B9 **C Series,** Model(s): C1, C13, C17, C18, C2, C21, C3, C31, C32, C4, C5, C6, C7, C8, C9 F Series, Model(s): F0, F1, F13, F15, F18, F2, F3, F4, F6, F7, F8 H Series, Model(s): H0, H1, H13, H17, H18, H2, H21, H3, H31, H32, H4, H5, H6, H7, H8, H9 HN Series, Model(s): HN125, HN125B, HN136, HN136B, HN145, HN145B HP Series, Model(s): HP125, HP125B, HP136, HP136B, HP145, HP145B HS Series, Model(s): HS125, HS125B, HS136, HS136B, HS145, HS145B JS Series, Model(s): JS150-RxN-LKZ x represents any alpha-numeric digit JS Series, Model(s): JS150-RxN-MKZ x represents any alpha-numeric digit JS Series, Model(s): JS150-RxN-PKZ x represents any alpha-numeric digit JS Series, Model(s): JS150-RxN-QHZ x represents any alpha-numeric digit JS Series, Model(s): JS150-RxN-RHZ x represents any alpha-numeric digit P/Q Series, Model(s): P115, P136, Q115, Q136 PR, Model(s): PR136 R/U series, Model(s): R0, R2, R31, R5, U0, U2, U31, U5 RT/RS, Model(s): RS263, RT263 SM Series, Model(s): SM102, SM115, SM136, SM150 T/S Series, Model(s): S102, S115, S136, S150, SN102, SN115, SN136, SN150, T102, T115, T136, T150, TN102, TN115, TN136, TN150 TG Series, Model(s): TG125, TG125B TKT series, Model(s): TKT136-RxN-RJZ x represents any alpha-numeric digit TKT series, Model(s): TKT136-RxN-SJZ x represents any alpha-numeric digit TKT series, Model(s): TKT150-RxN-RJZ x represents any alpha-numeric digit TKT series, Model(s): TKT150-RxN-SJZ x represents any alpha-numeric digit TKT series, Model(s): TKT150-RxN-TJZ x represents any alpha-numeric digit TM Series, Model(s): TM102, TM115, TM136, TM150 TS Series, Model(s): TS125, TS136 V Series, Model(s): V0, V1, V13, V17, V18, V2, V21, V3, V31, V32, V4, V5, V6, V7, V8, V9 VQ series, Model(s): VQ115, VQ125 VS series, Model(s): VQ145, VS125, VS136, VS150, VT145, VY150-2 VT series, Model(s): VT125, VT136 VY series, Model(s): VY125, VY125-2, VY136, VY136-2

XCMQ8.E214712 - Thermal Links Certified for Canada - Component | UL Product iQ

**X/K Series,** Model(s): K0, K1, K15, K16, K17, K18, K2, K3, K31, K32, K4, K5, K6, K7, K8, K9, KG0, KG1, KG15, KG18, KG2, KG3, KG31, KG32, KG34, KG35, KG36, KG37, KG38, KG39, X0, X1, X15, X16, X17, X18, X2, X3, X31, X32, X4, X5, X6, X7, X8, X9, XG0, XG1, XG15, XG18, XG2, XG3, XG31, XG32, XG4, XG5, XG6, XG7, XG8, XG9

Y Series, Model(s): Y0, Y1, Y15, Y18, Y2, Y3, Y4, Y6, Y7, Y8, Y9, YM4, YM7, YM9

Last Updated on 2023-07-05

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."